


Assembly Instructions



Laser Beam Pro

Thank you for purchasing the Laser Beam Pro. We hope you will enjoy years of use of this product.

After opening the boxes, please check the parts list to make sure all pieces have arrived in good condition. If you have any questions during this assembly process, please call customer service at 1-800-331-4362.



WARNING

- Serious injury (including permanent paralysis or death) could result from any activity involving motion, rotation or height.
- All users of this equipment assume this risk of serious injury.
- Mats and pits cannot and do not eliminate hazards.

Safety Instructions


ALWAYS:

1. Consult an instructor prior to use.
2. Use equipment **ONLY** under the supervision of trained and qualified instructors.
3. Use equipment with trained spotters and the proper spotting equipment.
4. Check equipment before use for proper positioning; equipment can move during use.
5. Follow a progressive learning pattern. Assure basic skills are achieved before attempting more advanced skills.
6. Use equipment **ONLY** when all hard exposed surfaces are protected with proper mats.
7. Assure that all inflatable equipment has sufficient air pressure to avoid injury.

DO NOT use the apparatus with damaged, worn or missing parts.

DO NOT allow more than one person at a time to use the equipment.

Parts List



Parts List:

- [A] Beam Pieces (qty 3)
- [B] Allen Wrench (qty 1)
- [C] Connector Plates (qty 2)
Star Washers (qty 8)
Screws (qty 8)
- [D] Laser Beam Pro Cover

Any questions or problems, please call Tumbl Trak at
(800) 331-4362



Tumbl Trak
Train Smart



Step 1: Lay out the Laser Beam Cover with the lines facing down and the Velcro flaps open.

Place the three beam pieces in the cover. The piece with two plate cutouts should be in the middle.

Step 2:



Step 3:

Lay a connector plate over the cut-outs in the beam pieces.



Step 4:

Insert four star washers & four screws in the holes of the connector plate. Tighten all the screws with the Allen wrench.

Step 5: Repeat for other cut-outs with the second connector plate and four remaining star washers & screws.

NOTE: Tumbl Trak equipment is not recommended for the use in **Parkour/Free Running** related activities.




Any questions or problems, please call Tumbl Trak at (800) 331-4362




Step 6: On one end start pulling the Velcro flap up and onto the Laser Beam Pro. Line up the seams on the flap with the seams on the beam to fully cover the Velcro.

Step 7: Secure them by fully covering the Velcro attached to the beam pieces.



Ensure all sections of the Velcro flaps, including both end sections are fully secured to the beam pieces. Once reviewed use two people to flip over the beam, with one on each end of the Laser Beam Pro.

Step 8:



Step 9:

Small pocket to store hex key. This is a convenient way to keep your key available to make sure that all bolts are nice and snug!

Note: Make sure the beam is supported at the connector plate when moving. Carrying the beam by the ends may cause the metal plate to bend. Turn the beam sideways when moving to prevent the beam from sagging.

NOTE: Tumbl Trak equipment is not recommended for the use in **Parkour/Free Running** related activities.



Any questions or problems, please call Tumbl Trak at (800) 331-4362